



#3

03 CO

PTO/SB/92 (12-97)

Approved for use through 9/30/00. OMB 0651-0031  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

In Re: Ellenby, T., et al

Serial Number 215.39

## Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Assistant Commissioner for Patents  
Washington, D.C. 20231

on 7/18/01  
Date

  
Signature

Joseph Page

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Claims respaced



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/769,012	01/24/2001	Thomas William Ellenby	215.39

**CONFIRMATION NO. 5540**  
**FORMALITIES LETTER**

Joseph Page  
GeoVector Corporation  
601 Minnesota Street #212  
San Francisco, CA 94107



\*OC000000006114803\*

Date Mailed: 05/24/2001

**NOTICE TO FILE CORRECTED APPLICATION PAPERS**

***Filing Date Granted***

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE